## NSN 5305-00-818-7710

Hexagon Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-818-7710 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.750 inches and 0.938 inches **Fastener Length:** Between 1.812 inches and 1.875 inches **Head Style:** Hexagon **Head Height:** Between 0.150 inches and 0.163 inches Width Between Flats: Between 0.428 inches and 0.438 inches **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 120000 pounds per square inch Hardness Rating: 23.0 rockwell c and 30.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Steel **Material Specification:** Sae gr 5 assn standard single material response **Surface Treatment:** Phosphate **Surface Treatment Specification:** Mil-c-16232, type 2 military specification single treatment response **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig:

. ..9.

A003b0

## NSN 5305-00-818-7710

Hexagon Head Cap Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-16232 spec.