NSN 5305-00-820-6355

Assembled Washer Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-820-6355 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.282 inches **Fastener Length:** 0.375 inches **Head Style:** Pan no. 2 **Head Diameter:** Between 0.256 inches and 0.273 inches **Head Height:** Between 0.072 inches and 0.082 inches Washer Quantity: **Internal Drive Style:** Slot **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 **Hardness Rating:** 45.0 rockwell c and 53.0 rockwell c **Secondary Washer Relationship To Primary Washer:** Not identical **Secondary Washer Style: Primary Washer Outside Diameter:** 0.250 inches **Secondary Washer Outside Diameter:** 0.258 inches **Primary Washer Style:** Split helical ring **Primary Washer Material Thickness:** 0.031 inches **Secondary Washer Material Thickness:** 0.016 inches **Special Features:** Lockwasher and washer not rated screw 55000 lbs per sq in.

Material: Steel

NSN 5305-00-820-6355

Assembled Washer Screw - Page 2 of 2



Material Specification:

Qq-s-634 federal specification 1st material response or 66 federal standard 2nd material response or aisi/sae assn standard 2nd material response or 66 federal standard 3rd material response or 66 federal standard 4th material response or aisi/sae assn standard 4th material response or aisi/sae assn standard 4th material response or 66 federal standard 5th material response or 66 federal standard 6th material response or aisi/sae assn standard 6th material response or 66 federal standard 7th material response or aisi/sae assn standard 7th material response or aisi/sae assn standard 8th material response or 66 federal standard 8th material response or 66 federal standard 10th material response or aisi/sae assn standard 11th material response or aisi/sae assn standard 11th material response or 66 federal standard 12th material response or aisi/sae assn standard 12th material response or 66 federal standard 13th material response or aisi/sae assn standard 13th material response or aisi/sae assn standard 13th material response or aisi/sae assn standard 15th material response or aisi/sae assn standard 1

Ouridoc Frederich	Surf	ace	Trea	tment:
-------------------	------	-----	------	--------

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2 class 3 federal specification single treatment response

Thread Series Designator:

Unc

Specification Data:

80205-nas720 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

_

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-7952 spec.