

View Online at <https://aerobasegroup.com/nsn/5305-00-820-6355>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.282 inches

Fastener Length:

0.375 inches

Head Style:

Pan no. 2

Head Diameter:

Between 0.256 inches and 0.273 inches

Head Height:

Between 0.072 inches and 0.082 inches

Washer Quantity:

2

Internal Drive Style:

Slot

Thread Diameter:

0.138 inches

Thready Qty Per Inch (tpi):

32

Hardness Rating:

45.0 rockwell c and 53.0 rockwell c

Secondary Washer Relationship To Primary Washer:

Not identical

Secondary Washer Style:

Flat

Primary Washer Outside Diameter:

0.250 inches

Secondary Washer Outside Diameter:

0.258 inches

Primary Washer Style:

Split helical ring

Primary Washer Material Thickness:

0.031 inches

Secondary Washer Material Thickness:

0.016 inches

Special Features:

Lockwasher and washer not rated screw 55000 lbs per sq in.

Material:

Steel

Material Specification:

Qq-s-634 federal specification 1st material response or 66 federal standard 2nd material response or aisi/sae assn standard 2nd material response or 66 federal standard 3rd material response or aisi/sae assn standard 3rd material response or 66 federal standard 4th material response or aisi/sae assn standard 4th material response or 66 federal standard 5th material response or aisi/sae assn standard 5th material response or 66 federal standard 6th material response or aisi/sae assn standard 6th material response or 66 federal standard 7th material response or aisi/sae assn standard 7th material response or 66 federal standard 8th material response or aisi/sae assn standard 8th material response or 66 federal standard 9th material response or aisi/sae assn standard 9th material response or 66 federal standard 10th material response or aisi/sae assn standard 10th material response or 66 federal standard 11th material response or aisi/sae assn standard 11th material response or 66 federal standard 12th material response or aisi/sae assn standard 12th material response or 66 federal standard 13th material response or aisi/sae assn standard 13th material response or qq-s-626-canc federal specification 14th material response or mil-s-7952 military specification 15th material response or mil-s-7952 military specification 16th material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2 class 3 federal specification single treatment response

Thread Series Designator:

Unc

Specification Data:

80205-nas720 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-7952 spec.