NSN 5305-00-837-9918

Setscrew - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-837-9918
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.302 inches and 0.322 inches
Fastener Length:
Between 0.302 inches and 0.322 inches
Head Style:
Headless (setscrew)
Spline Minor Diameter:
Between 0.055 inches and 0.056 inches
Spline Major Diameter:
Between 0.078 inches and 0.079 inches
Spline Width:
Between 0.022 inches and 0.023 inches
Locking Feature:
Strip threads
Point Style:
Сир
Internal Drive Style:
Four spline
Thread Diameter:
0.138 inches
Thready Qty Per Inch (tpi):
32
Hardness Rating:
45.0 rockwell c and 53.0 rockwell c
Material:
Steel comp 4037 fastener or steel comp 4137 fastener or steel comp 4140 fastener or steel comp 8630 fastener or steel comp 8740 fastener
Material Specification:
66 federal standard all material responses fastener
Surface Treatment:
Cadmium fastener and chromate fastener
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response fastener
Thread Series Designator:
Unc
Specification Or Standard:
2 type and 4 style
Departure From Cited Designator:

Asmodified by locking feature

NSN 5305-00-837-9918

Setscrew - Page 2 of 2



_			-		
C	hΔ	Iŧ.		.ife	
J			_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0