# NSN 5305-00-841-9828

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-841-9828



#### **Thread Class:**

3a

**Thread Direction:** 

Right-hand

## Thread Length:

Between 0.138 inches and 0.188 inches

## Fastener Length:

Between 0.156 inches and 0.188 inches

## Head Style:

Pan

# Head Diameter:

Between 0.205 inches and 0.219 inches

# Head Height:

Between 0.070 inches and 0.080 inches

# Internal Drive Style:

Cross recess type 1

## Thread Diameter:

0.112 inches

# Thready Qty Per Inch (tpi):

40

## Min. Tensile Strength (psi):

160000 pounds per square inch

#### Hardness Rating:

Between 36.0 rockwell c and 40.0 rockwell c

#### Screw Material:

Steel comp 8630

## Screw Material Specification:

Mil-s-6050 military specification single material response or an-s-9 military standard single material response

#### Screw Surface Treatment:

Cadmium and chromate

## Screw Surface Treatment Specification:

Qq-p-416, type 2 cl 2 federal specification single treatment response

#### **Thread Series Designator:**

Unc

#### **Specification Data:**

80205-nas600 professional/industrial association standard

#### Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

No

# NSN 5305-00-841-9828

Machine Screw - Page 2 of 2

**Fiig:** A500d0

Mil-std (military Standard):

Mil-s-6050 spec.

