NSN 5305-00-844-7716

Machine Screw - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5305-00-844-7716

3a						
Thread Direction:						
Right-hand						
Thread Length:						
Between 0.282 inches and 0.313 inches						
Fastener Length:						
Between 0.344 inches and 0.375 inches						
Head Style:						
Flat chamfer						
Head Diameter:						
Between 0.265 inches and 0.270 inches						
Head Height:						
Between 0.088 inches and 0.102 inches						
Hole Diameter:						
0.038 inches						
Internal Drive Style:						
Torque set						
Thread Diameter:						
0.164 inches						
Hole Quantity:						
1						
Thready Qty Per Inch (tpi):						
32						
Min. Tensile Strength (psi):						
160000 pounds per square inch						
Hardness Rating:						
Between 28.0 rockwell c and 38.0 rockwell c						
Screw Material:						
Iron alloy 660						
Screw Material Specification:						
Ams 5737 federal specification single material response						
Screw Surface Treatment:						
Passivate						
Screw Surface Treatment Specification:						
Qq-p-35 federal specification single treatment response						
Head Hole Configuration Style:						
Hexagon flats						
Thread Series Designator:						
Unjc						
Specification Data:						
80205-nas1101 professional/industrial association standard						

NSN 5305-00-844-7716

Machine Screw - Page 2 of 2



		fe	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0