NSN 5305-00-844-7716

Machine Screw - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5305-00-844-7716

3a					
Thread Direction:					
Right-hand					
Thread Length:					
Between 0.282 inches and 0.313 inches					
Fastener Length:					
Between 0.344 inches and 0.375 inches					
Head Style:					
Flat chamfer					
Head Diameter:					
Between 0.265 inches and 0.270 inches					
Head Height:					
Between 0.088 inches and 0.102 inches					
Hole Diameter:					
0.038 inches					
Internal Drive Style:					
Torque set					
Thread Diameter:					
0.164 inches					
Hole Quantity:					
1					
Thready Qty Per Inch (tpi):					
32					
Min. Tensile Strength (psi):					
160000 pounds per square inch					
Hardness Rating:					
Between 28.0 rockwell c and 38.0 rockwell c					
Screw Material:					
Iron alloy 660					
Screw Material Specification:					
Ams 5737 federal specification single material response					
Screw Surface Treatment:					
Passivate					
Screw Surface Treatment Specification:					
Qq-p-35 federal specification single treatment response					
Head Hole Configuration Style:					
Hexagon flats					
Thread Series Designator:					
Unjc					
Specification Data:					
80205-nas1101 professional/industrial association standard					

NSN 5305-00-844-7716

Machine Screw - Page 2 of 2



		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0