NSN 5305-00-847-0109

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-847-0109

Thread Class:
За
Thread Direction:
Right-hand
Thread Length:
0.469 inches
Fastener Length:
1.031 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.502 inches and 0.507 inches
Shoulder Diameter:
0.2797 inches first shoulder and 0.2807 inches first shoulder
Shoulder Length:
0.562 inches first shoulder
Internal Drive Style:
High-torque
Thread Diameter:
0.250 inches
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
Hardness Rating: 36.0 rockwell c and 40.0 rockwell c
-
36.0 rockwell c and 40.0 rockwell c
36.0 rockwell c and 40.0 rockwell c Countersink Angle:
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape:
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material:
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130 Surface Treatment:
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130 Surface Treatment: Cadmium
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130 Surface Treatment: Cadmium Thread Series Designator:
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130 Surface Treatment: Cadmium Thread Series Designator: Unf
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130 Surface Treatment: Cadmium Thread Series Designator: Unf Specification Data:
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130 Surface Treatment: Cadmium Thread Series Designator: Unf Specification Data: 80205-nas1604 professional/industrial association standard
36.0 rockwell c and 40.0 rockwell c Countersink Angle: 100.0 degrees Shoulder Shape: Round first shoulder Material: Steel comp 4130 Surface Treatment: Cadmium Thread Series Designator: Unf Specification Data: 80205-nas1604 professional/industrial association standard Shelf Life:

NSN 5305-00-847-0109

Shoulder Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

