

View Online at <https://aerobasegroup.com/nsn/5305-00-850-6354>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.625 inches

Fastener Length:

0.625 inches

Head Style:

Binding

Head Diameter:

Between 0.171 inches and 0.181 inches

Head Height:

Between 0.041 inches and 0.046 inches

Internal Drive Style:

Slot

Thread Diameter:

0.086 inches

Thready Qty Per Inch (tpi):

56

Screw Material:

Steel comp 1010 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 416se or steel comp 416 or steel comp 1019 or steel comp 1020

Screw Material Specification:

Fed standard 66 federal standard 1st material response or federal standard 66 federal standard 2nd material response or federal standard 66 federal standard 3rd material response or federal standard 66 federal standard 4th material response or mil-s-862, class 6 military specification 5th material response or mil-s-862, class 6 military specification all material responses or federal standard 66 federal standard 6th material response or federal standard 66 federal standard 7th material response

Screw Surface Treatment:

Cadmium

Screw Surface Treatment Specification:

Fps-486-2, magnavox corporation mfr ref single treatment response

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0

Mil-std (military Standard):

Mil-s-862 spec.