

View Online at <https://aerobasegroup.com/nsn/5305-00-876-6687>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.802 inches and 0.822 inches

Fastener Length:

Between 0.802 inches and 0.822 inches

Head Style:

Flat chamfer

Head Diameter:

Between 0.303 inches and 0.312 inches

Head Height:

Between 0.181 inches and 0.190 inches

Hole Diameter:

0.046 inches

Internal Drive Style:

Hexagon

Thread Diameter:

0.190 inches

Width Across Flats:

0.156 inches

Hole Quantity:

6

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

32

Min. Tensile Strength (psi):

160000 pounds per square inch

Hardness Rating:

36.0 rockwell c and 40.0 rockwell c

Hole Configuration Style:

Round longitudinal hole

Surface Finish:

125.0 microinches

Special Features:

Two locking slots in outer periphery of head, 0.100 in. Nom w, 0.040 in. Min, 0.050 in. Maximum lg, 60.0 degrees angle of cut

Material:

Steel

Material Specification:

Ams 6322, comp 8740 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 1, class 3 federal specification single treatment response or ams 2400-2 assn standard single treatment response

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0