NSN 5305-00-889-6590

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-889-6590							
Thread Class:							
3a							
Thread Direction:							
Right-hand							
Thread Length:							
Between 0.350 inches and 0.400 inches							
Fastener Length:							
Between 1.235 inches and 1.265 inches							
Head Style:							
Flat countersunk							
Head Diameter:							
Between 0.577 inches and 0.635 inches							
Grip Diameter:							
Between 0.3110 inches and 0.3120 inches							
Internal Drive Style:							
Offset cruciform (torque set)							
Thread Diameter:							
0.312 inches							
Grip Length:							
Between 0.865 inches and 0.885 inches							
Thready Qty Per Inch (tpi):							
24							
Min. Tensile Strength (psi):							
160000 pounds per square inch							
Hardness Rating:							
36.0 rockwell c and 40.0 rockwell c							
Countersink Angle:							
Between 99.0 degrees and 101.0 degrees							
Surface Finish:							
32.0 microinches threads							
Material:							
Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150							
Surface Treatment:							
Cadmium and chromate							
Surface Treatment Specification:							
Qq-p-416, ty2, cl2 federal specification single treatment response							
Thread Series Designator:							
Unjf							
Specification Data:							
80205-nas1155 professional/industrial association standard							
Shelf Life:							

N/a

NSN 5305-00-889-6590

Close Tolerance Screw - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A003b0