NSN 5305-00-906-6546



Close Tolerance Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-00-906-6546 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.229 inches and 0.279 inches **Fastener Length:** Between 0.465 inches and 0.495 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.328 inches and 0.385 inches **Grip Diameter:** Between 0.1885 inches and 0.1895 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.190 inches **Grip Length:** Between 0.216 inches and 0.236 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 36.0 rockwell c and 40.0 rockwell c **Countersink Angle:** 100.0 degrees Material: Steel comp 4140 or steel comp e4340 or steel comp 6150 or steel comp 8735 or steel comp 8740 **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416, type 2, class 2 federal specification single treatment response **Thread Series Designator:**

Unjf Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

NSN 5305-00-906-6546

Close Tolerance Screw - Page 2 of 2



Fiig:

A003b0