# NSN 5305-00-913-7969

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-913-7969



#### **Thread Class:**

3a

**Thread Direction:** 

Right-hand

# Thread Length:

Between 0.219 inches and 0.312 inches

# Fastener Length:

Between 0.281 inches and 0.312 inches

### Head Style:

Flat chamfer

Head Diameter:

Between 0.306 inches and 0.313 inches

### Head Height:

Between 0.103 inches and 0.118 inches

# Internal Drive Style:

Torque set

#### Thread Diameter:

0.190 inches

#### Thready Qty Per Inch (tpi):

32

#### Min. Tensile Strength (psi):

140000 pounds per square inch

#### Hardness Rating:

Between 248.0 brinell standard and 321.0 brinell standard

# Screw Material:

Iron alloy 660

#### Screw Material Specification:

Ams 5735 assn standard single material response

#### Screw Surface Treatment:

Passivate

# Screw Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

# **Thread Series Designator:**

Unjf

#### **Specification Data:**

80205-nas1101 professional/industrial association standard

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# **NSN 5305-00-913-7969** Machine Screw - Page 2 of 2

Fiig: A500d0

