# NSN 5305-00-914-0694

Machine Screw - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5305-00-914-0694

# Thread Class:

3a

**Thread Direction:** 

**Right-hand** 

#### Thread Length:

Between 1.188 inches and 1.250 inches

#### Fastener Length:

1.250 inches

Head Style:

Pan

#### Head Diameter:

Between 0.256 inches and 0.270 inches

#### **Head Height:**

Between 0.087 inches and 0.097 inches

# Internal Drive Style:

Torque set

#### Thread Diameter:

0.138 inches

# Thready Qty Per Inch (tpi):

32

# Min. Tensile Strength (psi):

140000 pounds per square inch

# Hardness Rating:

Between 248.0 brinell standard and 321.0 brinell standard

# **Screw Material:**

Iron alloy 660

# Screw Material Specification:

Ams 5735 assn standard single material response

# Screw Surface Treatment:

Passivate

# Screw Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

# **Thread Series Designator:**

Unc

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A500d0

# NSN 5305-00-914-0694

Machine Screw - Page 2 of 2

# Mil-std (military Standard):

Mil-s-5002 spec.

