NSN 5305-00-929-4071

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-929-4071 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.375 inches **Fastener Length:** Between 0.735 inches and 0.765 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.413 inches and 0.438 inches **Head Height:** Between 0.162 inches and 0.183 inches **Hole Diameter:** 0.064 inches **Grip Diameter:** Between 0.3100 inches and 0.3120 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.312 inches **Grip Length:** 0.375 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 140000 pounds per square inch **Hardness Rating:** 248.0 brinell standard and 321.0 brinell standard **Surface Finish:** 32.0 microinches threads Material: Iron alloy 660 **Material Specification:** Ams 5732 assn standard single material response **Surface Treatment:**

Passivate
Surface Trea

Surface Treatment Specification:

-a0110-006 fscm 43999 mfr ref single treatment response

Thread Series Designator:

Unjf

NSN 5305-00-929-4071

Close Tolerance Screw - Page 2 of 2



Specification Data	Spe	ecifica	ition	Data:
--------------------	-----	---------	-------	-------

80205-nas1125 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0