NSN 5305-00-936-4277

Thumbscrew - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-936-4277 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 2.190 inches **Fastener Length:** 3.310 inches **Head Style:** Wing no. 1 **Head Height:** 0.500 inches Width Between Flats: 2.000 inches **Point Style:** Flat **Thread Diameter:** 0.380 inches Thready Qty Per Inch (tpi): 16 **Special Features:** Between unthreaded hole in shank, .076 inches diameter, located 2.6220 inches and 2.685 inches from bearing surface of head Material: Steel **Material Specification:** Mil-s-46172 military specification single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416, type 2, class 3 federal specification single treatment response **Thread Series Designator:** Unc **Departure From Cited Document:** When used in m667 applications data referenced to this note may not be changed, waived or deviated from without determination of impact to interfacecontrol drawing no.18876-10293271 or written approval of the lance project managers office Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Fiig: A003b0

No

NSN 5305-00-936-4277

Thumbscrew - Page 2 of 2



Mil-std (military Standard):

Mil-s-46172 spec.