NSN 5305-00-936-4277

Thumbscrew - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-936-4277

#### **Thread Class:**

2a

**Thread Direction:** 

**Right-hand** 

# Thread Length:

2.190 inches

### Fastener Length:

3.310 inches

#### Head Style:

Wing no. 1

#### Head Height:

0.500 inches

#### Width Between Flats:

2.000 inches

#### Point Style:

Flat

## Thread Diameter:

0.380 inches

# Thready Qty Per Inch (tpi):

16

## **Special Features:**

Between unthreaded hole in shank, .076 inches diameter, located 2.6220 inches and 2.685 inches from bearing surface of head

### Material:

Steel

### **Material Specification:**

Mil-s-46172 military specification single material response

### Surface Treatment:

Cadmium

### Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification single treatment response

### Thread Series Designator:

Unc

# **Departure From Cited Document:**

When used in m667 applications data referenced to this note may not be changed, waived or deviated from without determination of impact to interfacecontrol drawing no.18876-10293271 or written approval of the lance project managers office

#### Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

- Fiig:
- A003b0

NSN 5305-00-936-4277

Thumbscrew - Page 2 of 2

# Mil-std (military Standard):

Mil-s-46172 spec.

