## NSN 5305-00-954-7069

Machine Screw - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5305-00-954-7069

view Online at https://aerobasegroup.com/nsn/5305-00-954-7069
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.276 inches
Fastener Length:
Between 0.511 inches and 0.541 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.231 inches and 0.279 inches
Internal Drive Style:
Cross recess type ii
Thread Diameter:
0.138 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
125000 pounds per square inch
Hardness Rating:
Between 26.0 rockwell c and 32.0 rockwell c
Countersink Angle:
100.0 degrees
Screw Material:
Steel comp 4037 or steel comp 8630
Screw Material Specification:
Ams 6300 assn standard 1st material response or mil-s-6050 military specification 2nd material response
Screw Surface Treatment:
Cadmium and chromate
Screw Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification all treatment responses
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
A500d0

## NSN 5305-00-954-7069

Machine Screw - Page 2 of 2

## Mil-std (military Standard):

Mil-s-6050 spec.

