NSN 5305-00-957-7282

Machine Screw - Page 1 of 2

Thread Class:

2a

View Online at https://aerobasegroup.com/nsn/5305-00-957-7282



Thread Direction: Right-hand Thread Length: Between 0.089 inches and 0.125 inches Fastener Length: Between 0.094 inches and 0.125 inches **Head Style:** Flat countersunk undercut **Head Diameter:** Between 0.147 inches and 0.172 inches **Head Height:** Between 0.028 inches and 0.036 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.086 inches Thready Qty Per Inch (tpi): 56 Min. Tensile Strength (psi): 55000 pounds per square inch **Countersink Angle:** Between 80.0 degrees and 82.0 degrees **Screw Material:** Steel **Screw Material Specification:** 66 federal standard single material response or astma108 assn standard single material response **Screw Surface Treatment:** Cadmium and chromate **Screw Surface Treatment Specification:** Qq-p-416, type 2, cl 3 federal specification single treatment response **Thread Series Designator:** Unc **Specification Or Standard:** 3 type and 2c style Shelf Life: N/a Unit Of Measure: **Demilitarization:** No

NSN 5305-00-957-7282

Machine Screw - Page 2 of 2

Fiig: A500d0

