NSN 5305-00-957-7405

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-957-7405

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.308 inches and 0.338 inches
Fastener Length:
Between 1.417 inches and 1.447 inches
Head Style:
Pan
Head Diameter:
Between 0.357 inches and 0.373 inches
Head Height:
Between 0.122 inches and 0.133 inches
Shoulder Diameter:
0.193 inches first shoulder and 0.195 inches first shoulder
Shoulder Length:
1.109 inches first shoulder
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Shoulder Shape:
Round first shoulder
Product Name:
Navy special project
Material:
Steel comp 4140 or steel comp e4340 or steel comp 6150 or steel comp 8735 or steel comp 8740 or steel comp 4037
Surface Treatment:
Cadmium
Test Data Document:
81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5305-00-957-7405

Shoulder Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0