## NSN 5305-00-958-6230

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-958-6230

#### **Thread Class:**

2a

**Thread Direction:** 

**Right-hand** 

#### Thread Length:

Between 0.388 inches and 0.438 inches

#### Fastener Length:

0.438 inches

#### **Head Style:**

Flat countersunk

#### Head Diameter:

Between 0.195 inches and 0.225 inches

#### Internal Drive Style:

Cross recess type 1

#### **Thread Diameter:**

0.112 inches

#### Thready Qty Per Inch (tpi):

40

#### Min. Tensile Strength (psi):

60000 pounds per square inch

#### Countersink Angle:

Between 80.0 degrees and 82.0 degrees

#### Screw Material:

Steel

#### Screw Material Specification:

66 federal standard single material response or astma108 assn standard single material response

#### **Screw Surface Treatment:**

Cadmium and chromate

#### Screw Surface Treatment Specification:

Qq-p-416, type 2 class 3 federal specification single treatment response or mil-c-81562, type 2 class 3 military specification single treatment response

#### **Thread Series Designator:**

Unc

#### **Specification Or Standard:**

3 type and 2c style

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A500d0



# NSN 5305-00-958-6230

Machine Screw - Page 2 of 2

### Mil-std (military Standard):

Mil-c-81562 spec.

