## NSN 5305-00-973-3304



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-00-973-3304 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.359 inches and 0.391 inches **Fastener Length:** Between 1.984 inches and 2.016 inches **Head Style:** Flat chamfer **Head Diameter:** 0.187 inches **Head Height:** Between 0.060 inches and 0.086 inches **Overall Height:** 1.250 inches **Internal Drive Style:** Slot **Overall Diameter:** 2.63 inches **End Application:** Aircraft hercules c-130 and ac-130, j, mc-130 **Thread Diameter:** 0.086 inches Thready Qty Per Inch (tpi): 56 **Product Name:** Housing, handle **Screw Material:** Steel comp 4130 **Screw Material Specification:** Mil-s-6758 military specification single material response **Screw Surface Treatment:** Cadmium **Special Features:** Drawing 360916, housing handle, outside operating crew door; material is 356-t6 aluminum alloy casting; round counterbore diameter is 1.375 inches; bore hole is 1.125 inches; center to top is 1.45 inches; castomg tp; eranmce is 0.03 inches; edge radii is 0.06 inches Material: Aluminum alloy

N/a

Unc

Shelf Life:

**Thread Series Designator:** 

## NSN 5305-00-973-3304

Machine Screw - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A500d0

Mil-std (military Standard):

Mil-s-6758 spec.