# NSN 5305-01-006-3874

Machine Screw - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5305-01-006-3874



#### **Thread Class:**

2a

**Thread Direction:** 

Right-hand

## Thread Length:

Between 0.472 inches and 0.565 inches

## Fastener Length:

Between 0.594 inches and 0.625 inches

### Head Style:

Flat countersunk

# Head Diameter:

Between 0.238 inches and 0.279 inches

# Internal Drive Style:

Cross recess type 1

## Thread Diameter:

0.138 inches

# Thready Qty Per Inch (tpi):

32

### Min. Tensile Strength (psi):

80000 pounds per square inch

### Countersink Angle:

Between 99.0 degrees and 101.0 degrees

#### Screw Material:

Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316

### Screw Surface Treatment:

Oxide

### Screw Surface Treatment Specification:

Mil-c-13924, cl 4 military specification single treatment response

### **Thread Series Designator:**

Unc

# **Specification Or Standard:**

3 type and 3c style

### Shelf Life:

N/a

# Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A500d0

## Mil-std (military Standard):

Mil-c-13924 spec.