## NSN 5305-01-008-1106

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-008-1106
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.262 inches and 0.313 inches
Fastener Length:
Between 0.810 inches and 0.830 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.360 inches and 0.374 inches
Head Height:
Between 0.095 inches and 0.110 inches
Locking Feature:
Detent ball grip
Grip Diameter:
Between 0.1885 inches and 0.1894 inches
Internal Drive Style:
Offset cruciform (torque set)
Thread Diameter:
0.190 inches
Grip Length:
Between 0.438 inches and 0.454 inches
Thready Qty Per Inch (tpi):
32
Hardness Rating:
39.0 rockwell c and 45.0 rockwell c
Surface Finish:
63.0 microinches grip
Special Features:
Retaining element in shank
Material:
Steel comp e4340 or steel comp 4340 or steel comp 8740
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416 type 1 class 3 federal specification single treatment response or qq-p-416 type 2 class 3 federal specification single treatment
response
Thread Series Designator:
Unjf
Shelf Life:
N/a

## NSN 5305-01-008-1106

Close Tolerance Screw - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A003b0