# NSN 5305-01-009-7123

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-009-7123



#### Thread Class:

2a

**Thread Direction:** 

Right-hand

## Thread Length:

Between 0.597 inches and 0.690 inches

## Fastener Length:

Between 0.719 inches and 0.750 inches

#### Head Style:

Flat countersunk

## Head Diameter:

Between 0.238 inches and 0.279 inches

## Internal Drive Style:

Cross recess type 1

## Thread Diameter:

0.138 inches

## Thready Qty Per Inch (tpi):

32

#### Min. Tensile Strength (psi):

60000 pounds per square inch

#### Countersink Angle:

Between 99.0 degrees and 101.0 degrees

#### **Screw Material:**

Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316

#### Screw Material Specification:

66 federal standard all material responses

#### Screw Surface Treatment:

Oxide

## Screw Surface Treatment Specification:

Mil-c-13924, cl 4 military specification single treatment response

## Thread Series Designator:

Unc

## Specification Or Standard:

3 type and 3c style

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A500d0

# NSN 5305-01-009-7123

Machine Screw - Page 2 of 2

## Mil-std (military Standard):

Mil-c-13924 spec.

