NSN 5305-01-010-3321

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-010-3321 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 1.063 inches and 1.125 inches **Fastener Length:** 1.125 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.282 inches and 0.332 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.164 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c **Countersink Angle:** 100.0 degrees **Screw Material:** Steel **Screw Material Specification:** Mil-s-7839 military specification single material response **Screw Surface Treatment:** Cadmium and chromate **Screw Surface Treatment Specification:** Qq-p-416, type 2, clb federal specification all treatment responses **Thread Series Designator:** Unc **Specification Data:** 80205-nas514 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5305-01-010-3321

Machine Screw - Page 2 of 2



Fiig:

A500d0

Mil-std (military Standard):

Mil-s-7839 spec.