## NSN 5305-01-017-1587

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-017-1587 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.282 inches and 0.375 inches **Fastener Length:** Between 0.344 inches and 0.375 inches **Head Style:** Pan **Head Diameter:** Between 0.357 inches and 0.373 inches **Head Height:** Between 0.122 inches and 0.133 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 80000 pounds per square inch **Screw Material:** Steel comp 304 or steel comp 302 **Screw Material Specification:** Qq-s-763 federal specification 1st material response or federal standard 66 federal specification 2nd material response **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-c-13924, cl 4 military specification single treatment response **Thread Series Designator:** Unf **Specification Or Standard:** 3 type and 9c style Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Fiig:

No

A500d0

## NSN 5305-01-017-1587

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-13924 spec.