NSN 5305-01-020-0871

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-020-0871 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.278 inches and 0.328 inches **Fastener Length:** Between 2.793 inches and 2.813 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.477 inches and 0.492 inches **Head Height:** Between 0.126 inches and 0.141 inches **Grip Diameter:** Between 0.2487 inches and 0.2492 inches **Shank Unthreaded Hole Diameter:** 0.076 inches first hole and 0.086 inches first hole **Internal Drive Style:** High-torque **Thread Diameter:** 0.250 inches **Grip Length:** Between 2.375 inches and 2.390 inches Thready Qty Per Inch (tpi): 28 Distance From Head Largest Bearing Surface To Shank Hole Center: 2.698 inches first hole and 2.718 inches first hole Surface Finish: 32.0 microinches grip **Product Name:** Navy special project **Special Features:** Retaining element in @shank Material: Steel comp 630 **Material Specification:** Ams 5643 assn standard single material response **Surface Treatment:**

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

NSN 5305-01-020-0871

Close Tolerance Screw - Page 2 of 2



Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

Fiig:

A003b0