Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-027-6263

Thread Class: 3a Thread Direction: Right-hand Thread Length: 0.438 inches Fastener Length: 0.500 inches Head Style: Flat chamfer Head Diameter: Between 0.262 inches and 0.270 inches Head Height: Between 0.159 inches and 0.164 inches Hole Diameter: 0.047 inches Hole Diameter: 0.047 inches Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style: Round internal hexagon
Thread Direction:Right-handThread Length:0.438 inchesFastener Length:0.500 inchesHead Style:Flat chamferHead Diameter:Between 0.262 inches and 0.270 inchesHead Height:Between 0.159 inches and 0.164 inchesHole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Qty Per Inch (tpi):32Hole Configuration Style:
Right-handRight-handThread Length:0.438 inchesFastener Length:0.500 inchesHead Style:Flat chamferHead Diameter:Between 0.262 inches and 0.270 inchesHead Height:Between 0.159 inches and 0.164 inchesHole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Qty Per Inch (tpi):32Hole Configuration Style:
Thread Length:0.438 inchesFastener Length:0.500 inchesHead Style:Flat chamferHead Diameter:Between 0.262 inches and 0.270 inchesHead Height:Between 0.159 inches and 0.164 inchesHole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Oty Per Inch (tpi):32Hole Configuration Style:
0.438 inches Fastener Length: 0.500 inches Head Style: Flat chamfer Head Diameter: Between 0.262 inches and 0.270 inches Head Height: Between 0.159 inches and 0.164 inches Head Height: 0.047 inches Hole Diameter: 0.047 inches Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Fastener Length:0.500 inchesHead Style:Flat chamferHead Diameter:Between 0.262 inches and 0.270 inchesHead Height:Between 0.159 inches and 0.164 inchesHole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Qty Per Inch (tpi):32Hole Configuration Style:
0.500 inches Head Style: Flat chamfer Head Diameter: Between 0.262 inches and 0.270 inches Head Height: Between 0.159 inches and 0.164 inches Hole Diameter: 0.047 inches Internal Drive Style: Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32
Head Style:Flat chamferHead Diameter:Between 0.262 inches and 0.270 inchesHead Height:Between 0.159 inches and 0.164 inchesHole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Qty Per Inch (tpi):32Hole Configuration Style:
Flat chamfer Head Diameter: Between 0.262 inches and 0.270 inches Head Height: Between 0.159 inches and 0.164 inches Hole Diameter: 0.047 inches Internal Drive Style: Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Head Diameter:Between 0.262 inches and 0.270 inchesHead Height:Between 0.159 inches and 0.164 inchesHole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Qty Per Inch (tpi):32Hole Configuration Style:
Between 0.262 inches and 0.270 inches Head Height: Between 0.159 inches and 0.164 inches Hole Diameter: 0.047 inches Internal Drive Style: Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Head Height:Between 0.159 inches and 0.164 inchesHole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Qty Per Inch (tpi):32Hole Configuration Style:
Between 0.159 inches and 0.164 inches Hole Diameter: 0.047 inches Internal Drive Style: Hexagon Thread Diameter: 0.164 inches Uidth Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Hole Diameter:0.047 inchesInternal Drive Style:HexagonThread Diameter:0.164 inchesWidth Across Flats:Between 0.141 inches and 0.143 inchesHole Quantity:6Hole Type:DrilledThready Qty Per Inch (tpi):32Hole Configuration Style:
0.047 inches Internal Drive Style: Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Internal Drive Style: Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Hexagon Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Thread Diameter: 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Width Across Flats: Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Between 0.141 inches and 0.143 inches Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Hole Quantity: 6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
6 Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Hole Type: Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Drilled Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
Thready Qty Per Inch (tpi): 32 Hole Configuration Style:
32 Hole Configuration Style:
Hole Configuration Style:
Round internal hexagon
Material:
Steel comp 4037
Surface Treatment:
Cadmium
Surface Treatment Specification:
Ams 2400-2 assn standard single treatment response
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:

NSN 5305-01-027-6263

Socket Head Cap Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

