## NSN 5305-01-038-2559

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-038-2559 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.169 inches and 0.250 inches **Fastener Length:** Between 0.219 inches and 0.250 inches **Head Style:** Binding **Head Diameter:** Between 0.223 inches and 0.235 inches **Head Height:** Between 0.056 inches and 0.063 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.112 inches Thready Qty Per Inch (tpi): 40 Min. Tensile Strength (psi): 125000 pounds per square inch **Product Name:** Navy special project **Screw Material:** Stainless steel **Screw Material Specification:** Qq-s-763 federal specification single material response **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-f-495 federal specification 1st treatment response or mil-c-13924 federal specification 2nd treatment response **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

Fiig:

A500d0

## NSN 5305-01-038-2559

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-f-495 spec.