## NSN 5305-01-042-4404

Machine Screw - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5305-01-042-4404

### Thread Class:

3a

**Thread Direction:** 

Right-hand

#### Thread Length:

Between 0.401 inches and 0.451 inches

#### Fastener Length:

Between 0.786 inches and 0.816 inches

#### Head Style:

Flat countersunk

#### Head Diameter:

Between 0.461 inches and 0.507 inches

#### Internal Drive Style:

High-torque

#### **Thread Diameter:**

#### 0.250 inches

Thready Qty Per Inch (tpi):

28

Min. Tensile Strength (psi):

160000 pounds per square inch

#### Hardness Rating:

Between 36.0 rockwell c and 40.0 rockwell c

#### Countersink Angle:

Between 99.0 degrees and 101.0 degrees

#### **Product Name:**

Navy special project

#### Screw Material:

Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150

#### Screw Surface Treatment:

Cadmium and chromate

#### Screw Surface Treatment Specification:

Qq-p-416 type 2 cl 2 federal specification single treatment response

#### **Thread Series Designator:**

Unjf

#### **Specification Data:**

80205-nas1221 professional/industrial association standard

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

# **NSN 5305-01-042-4404** Machine Screw - Page 2 of 2

Fiig: A500d0

