NSN 5305-01-046-0702

Shoulder Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-046-0702



Thread Class: 3a **Thread Direction: Right-hand Thread Length:** Between 0.372 inches and 0.422 inches Fastener Length: Between 0.757 inches and 0.787 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.456 inches and 0.508 inches Shoulder Diameter: 0.2646 inches first shoulder and 0.2651 inches first shoulder Shoulder Length: 0.365 inches first shoulder and 0.385 inches first shoulder **Internal Drive Style:** High-torque **End Application:** Fms - aircraft, hornet f/a-18; aircraft, eagle f-15; aircraft, hornet f/a-18 **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 **Countersink Angle:** Between 99.0 degrees and 101.0 degrees Shoulder Shape: Round first shoulder **Special Features:** Internal hex on threaded end 0.0947 in. To 0.0967 in. Wide and 0.130 in. To 0.150 in. Deep Material: Steel comp xm-13 **Material Specification:** Ams5629 assn standard single material response Surface Treatment: Passivate **Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:** Unjf Shelf Life:

N/a

NSN 5305-01-046-0702

Shoulder Screw - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

