## NSN 5305-01-048-5361



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-048-5361 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 1.886 inches and 2.000 inches **Fastener Length:** Between 1.948 inches and 2.000 inches **Head Style:** Pan **Head Diameter:** Between 0.357 inches and 0.373 inches **Head Height:** Between 0.122 inches and 0.133 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Product Name:** Navy special project **Screw Material:** Steel comp 4140 or steel comp 4340 or steel comp 8740 **Screw Material Specification:** Mil-s-5626 military specification 1st material response or mil-s-5000 military specification 2nd material response or mil-s-6049 military specification 3rd material response **Screw Surface Treatment Specification:** Qq-p-416 type 2 cl 2 federal specification single treatment response **Thread Series Designator:** Unjf **Specification Data:** 80205-nas603 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:** 

Fiig: A500d0

No

**Demilitarization:** 

## NSN 5305-01-048-5361

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-s-5626 spec.