## NSN 5305-01-054-6242

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-054-6242 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.668 inches and 0.698 inches **Fastener Length:** 1.433 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.605 inches and 0.625 inches **Head Height:** Between 0.112 inches and 0.125 inches **Grip Diameter:** Between 0.4360 inches and 0.4370 inches **Internal Drive Style:** Hexagon **End Application:** Aircraft, f-16 **Thread Diameter:** 0.438 inches **Grip Length:** Between 0.740 inches and 0.760 inches Width Across Flats: 0.502 inches Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 220000 pounds per square inch **Surface Finish:** 32.0 microinches threads **Special Features:** Conical bearing surface of head 99.0 degree to 101.0 degree included angle 0.077 in. Long Material: Steel comp h11 **Material Specification:** Ams 6487 assn standard single material response **Surface Treatment:** Cadmium

**Surface Treatment Specification:** 

Nas 672 assn standard single treatment response

## NSN 5305-01-054-6242

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0