NSN 5305-01-058-7069

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-058-7069

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.317 inches and 0.369 inches
Fastener Length:
Between 0.515 inches and 0.547 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.329 inches and 0.388 inches
Grip Diameter:
Between 0.1885 inches and 0.1894 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Grip Length:
Between 0.178 inches and 0.198 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
36.0 rockwell c and 40.0 rockwell c
Countersink Angle:
100.0 degrees
Surface Finish:
63.0 microinches grip
Material:
Steel comp 4140 or steel comp e4340 or steel comp 6150 or steel comp 8735 or steel comp 8740
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2, class 3 federal specification single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:

NSN 5305-01-058-7069

Close Tolerance Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

