NSN 5305-01-062-3346

Between 1.250 inches and 1.438 inches

Between 2.906 inches and 3.000 inches

Thread Class:

Right-hand

Thread Length:

Thread Direction:

Fastener Length:

Head Style:

2a

Hexagon Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-062-3346

Hexagon
Head Height:
Between 0.302 inches and 0.323 inches
Width Between Flats:
Between 0.736 inches and 0.750 inches
Hole Diameter:
0.094 inches
Thread Diameter:
0.500 inches
Hole Quantity:
1
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
20
Min. Tensile Strength (psi):
70000 pounds per square inch
Hardness Rating:
235.0 brinell standard
Minimum Yield Strength:
40000 pounds per square inch
Hole Configuration Style:
Hexagon longitudinal hole
Surface Finish:
63.0 microinches threads
Material:
Steel comp 410 or steel comp 430
Material Specification:
66 federal standard all material responses
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response

NSN 5305-01-062-3346 Hexagon Head Cap Screw - Page 2 of 2



inread Series Designator:
Unf
Specification Or Standard:
2 type and 10p style and 9 grade
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A003b0