

NSN 5305-01-063-0998 Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-063-0998 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 1.256 inches and 1.318 inches **Fastener Length:** Between 1.313 inches and 1.375 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.231 inches and 0.279 inches **Locking Feature:** Pellet **Internal Drive Style:** Cross recess type iii **Thread Diameter:**

0.138 inches

Thready Qty Per Inch (tpi):

32

Min. Tensile Strength (psi):

160000 pounds per square inch

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Product Name:

Navy special project

Screw Material:

Iron alloy 660

Locking Feature Material:

Plastic polyamide

Screw Material Specification:

Ams 5737 assn standard single material response

Locking Feature Material Specification:

Mil-f-18240 military specification single material response

Bearing Surface Of Head Surface Finish:

32.0 microinches

Thread Surface Finish:

32.0 microinches

Thread Series Designator:

Unjc

Specification Data:

80205-nas1189 professional/industrial association standard

NSN 5305-01-063-0998

Machine Screw - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
i iig.	

Mil-std (military Standard):

Mil-f-18240 spec.

Shelf Life: