NSN 5305-01-065-5501

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-065-5501 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.437 inches **Fastener Length:** 0.437 inches **Head Style:** Pan no. 2 **Head Diameter:** Between 0.155 inches and 0.167 inches **Head Height:** Between 0.045 inches and 0.053 inches **Internal Drive Style:** Slot **Thread Diameter:** 0.086 inches Thready Qty Per Inch (tpi): 56 Min. Tensile Strength (psi): 8000 pounds per square inch **Askewed Head Angle:** 90.0 degrees **Screw Material:** Stainless steel **Screw Material Specification:** Fed-std-66 federal standard single material response **Screw Surface Treatment: Passivate Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Test Data Document:** 98230-0n225146-3 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-065-5501

Machine Screw - Page 2 of 2



Fiig:

A500d0