

View Online at <https://aerobasegroup.com/nsn/5305-01-065-5501>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.437 inches

**Fastener Length:**

0.437 inches

**Head Style:**

Pan no. 2

**Head Diameter:**

Between 0.155 inches and 0.167 inches

**Head Height:**

Between 0.045 inches and 0.053 inches

**Internal Drive Style:**

Slot

**Thread Diameter:**

0.086 inches

**Thready Qty Per Inch (tpi):**

56

**Min. Tensile Strength (psi):**

8000 pounds per square inch

**Askewed Head Angle:**

90.0 degrees

**Screw Material:**

Stainless steel

**Screw Material Specification:**

Fed-std-66 federal standard single material response

**Screw Surface Treatment:**

Passivate

**Screw Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Test Data Document:**

98230-0n225146-3 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A500d0