NSN 5305-01-079-1350

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-079-1350 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 1.718 inches and 1.780 inches **Fastener Length:** Between 1.813 inches and 1.875 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.183 inches and 0.225 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.112 inches Thready Qty Per Inch (tpi): 40 Min. Tensile Strength (psi): 125000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Navy special project **Screw Material:** Steel comp 8740 **Screw Material Specification:** Mil-s-6050 military specification single material response or ams6300 assn standard single material response **Screw Surface Treatment:** Cadmium and chromate **Screw Surface Treatment Specification:** Qq-p-416, ty2, cl2 federal specification single treatment response **Thread Series Designator:** Unjc **Specification Data:** 80205-nas514 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-079-1350

Machine Screw - Page 2 of 2



Fiig:

A500d0

Mil-std (military Standard):

Mil-s-6050 spec.