# NSN 5305-01-079-1352

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-079-1352



### **Thread Class:**

3a

**Thread Direction:** 

**Right-hand** 

## Thread Length:

Between 0.252 inches and 0.302 inches

# Fastener Length:

Between 0.700 inches and 0.730 inches

#### Head Style:

Pan

#### Head Diameter:

Between 0.256 inches and 0.270 inches

#### **Head Height:**

Between 0.087 inches and 0.097 inches

### Internal Drive Style:

High-torque

#### Thread Diameter:

0.138 inches

### Thready Qty Per Inch (tpi):

32

# Min. Tensile Strength (psi):

160000 pounds per square inch

### Hardness Rating:

Between 36.0 rockwell c and 40.0 rockwell c

### **Product Name:**

Navy special project

### Screw Material:

Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150

### Screw Surface Treatment:

Cadmium and chromate

# Screw Surface Treatment Specification:

Qq-p-416 type 2 cl 2 federal specification single treatment response

### **Thread Series Designator:**

Unjc

### **Specification Data:**

80205-nas1218 professional/industrial association standard

#### Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

# NSN 5305-01-079-1352

Machine Screw - Page 2 of 2

Fiig: A500d0

