## NSN 5305-01-079-1931



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-079-1931 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.252 inches and 0.302 inches **Fastener Length:** Between 1.074 inches and 1.104 inches **Head Style:** Pan **Head Diameter:** Between 0.256 inches and 0.270 inches **Head Height:** Between 0.087 inches and 0.097 inches **Internal Drive Style:** High-torque **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Hardness Rating:** Between 36.0 rockwell c and 40.0 rockwell c **Product Name:** Navy special project **Screw Material:** Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150 **Screw Surface Treatment:** Cadmium and chromate **Screw Surface Treatment Specification:** Qq-p-416 type 2 cl 2 federal specification single treatment response **Thread Series Designator:** Unjc **Specification Data:** 80205-nas1218 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5305-01-079-1931

Machine Screw - Page 2 of 2



Fiig:

A500d0