NSN 5305-01-080-9162

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-080-9162 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.434 inches and 0.500 inches **Fastener Length:** Between 0.470 inches and 0.500 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.156 inches and 0.172 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.086 inches Thready Qty Per Inch (tpi): 56 Min. Tensile Strength (psi): 55000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Navy special project **Screw Material:** Steel comp 1010 **Screw Material Specification:** Astm a108 assn standard single material response **Screw Surface Treatment:** Cadmium and chromate **Screw Surface Treatment Specification:** Qq-p-416, type 2 cl 3 federal specification single treatment response **Special Features:** Blacken per unichrome bulletin p-65-b-cd or equivalent **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 5305-01-080-9162 Machine Screw - Page 2 of 2



Fiig:

A500d0