## NSN 5305-01-087-3183

Machine Screw - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5305-01-087-3183

view Online at https://defobasegroup.com/nsi//3503-01-007-3105
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.156 inches
Fastener Length:
0.438 inches
Head Style:
Pan
Head Diameter:
Between 0.205 inches and 0.219 inches
Head Height:
Between 0.070 inches and 0.080 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.112 inches
Thready Qty Per Inch (tpi):
40
Min. Tensile Strength (psi):
80000 pounds per square inch
Screw Material:
Stainless steel
Screw Material Specification:
66 federal standard single material response
Head Surface Treatment:
Passivate
Shank Surface Treatment:
Oxide and passivate
Head Surface Treatment Specification: Qq-p-35 federal specification single treatment response
Shank Surface Treatment Specification:
Mil-c-13924, class 4 military specification single treatment response and qq-p-35 federal specification single treatment response
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 5305-01-087-3183

Machine Screw - Page 2 of 2

Fiig: A500d0

Mil-std (military Standard):

Mil-c-13924 spec.

