NSN 5305-01-088-8927

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-088-8927 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.143 inches and 0.152 inches **Fastener Length:** 0.190 inches **Head Style:** Flat countersunk undercut **Head Diameter:** Between 0.207 inches and 0.225 inches **Head Height:** Between 0.038 inches and 0.047 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.112 inches Thready Qty Per Inch (tpi): 48 Min. Tensile Strength (psi): 80000 pounds per square inch **Countersink Angle:** Between 80.0 degrees and 82.0 degrees **Screw Material:** Stainless steel **Screw Material Specification:** Qq-s-763 federal specification single material response **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-c-13924 cl4 military specification single treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:**

No Fiig:

A500d0

Demilitarization:

NSN 5305-01-088-8927

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-13924 spec.