NSN 5305-01-095-3966

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-095-3966

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.320 inches
Fastener Length:
1.570 inches
Head Style:
Flat chamfer
Head Diameter:
0.375 inches
Head Height:
0.250 inches
Shoulder Diameter:
0.246 inches first shoulder and 0.249 inches first shoulder
Shoulder Length:
0.930 inches first shoulder
Internal Drive Style:
Hexagon
Thread Diameter:
0.190 inches
Width Across Flats:
Between 0.187 inches and 0.190 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Shoulder Shape:
Round first shoulder
Special Features:
Groove in shoulder 0.220 in. Min, 0.230 in. Maximum dia. Located 0.895 in. In from thread end
Material:
Stainless steel
Material Specification:
Ams 5734 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Hp 4-169 fscm 82577 mfr ref single treatment response
Thread Series Designator:

Unjf

NSN 5305-01-095-3966

Shoulder Screw - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J	116		_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0