## NSN 5305-01-102-1857

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-102-1857 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.656 inches and 0.719 inches **Fastener Length:** Between 0.719 inches and 0.750 inches **Head Style:** Fillister **Head Diameter:** Between 0.208 inches and 0.226 inches **Head Height:** Between 0.089 inches and 0.096 inches **Hole Diameter:** Between 0.045 inches and 0.050 inches **Internal Drive Style:** Slot **Thread Diameter:** 0.138 inches **Hole Quantity:** Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c **Screw Material:** Steel comp 8630 **Screw Material Specification:** Mil-s-6050 military specification single material response **Screw Surface Treatment:** Cadmium **Screw Surface Treatment Specification:** Qq-p-416 type 1 cl 3 federal specification single treatment response **Head Hole Configuration Style:** Round **Thread Series Designator:** Unc

Shelf Life: N/a

## NSN 5305-01-102-1857

Machine Screw - Page 2 of 2



U	n	it	Of	Μe	eas	ur	e:

--

Demilitarization:

No

Fiig:

A500d0

Mil-std (military Standard):

Mil-s-6050 spec.