

View Online at <https://aerobasegroup.com/nsn/5305-01-102-9835>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

Between 0.327 inches and 0.440 inches

Fastener Length:

Between 0.410 inches and 0.440 inches

Head Style:

Flat chamfer

Head Diameter:

Between 0.303 inches and 0.312 inches

Head Height:

Between 0.185 inches and 0.190 inches

Hole Diameter:

Between 0.044 inches and 0.050 inches

Internal Drive Style:

Hexagon

Thread Diameter:

0.190 inches

Width Across Flats:

0.156 inches

Hole Quantity:

6

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

24

Min. Tensile Strength (psi):

80000 pounds per square inch

Hole Configuration Style:

Round internal hexagon

Criticality Code Justification:

Zzzy

Material:

Stainless steel

Surface Treatment:

Chromium threads

Special Test Features:

Special quality control testing

Surface Treatment Specification:

Qq-c-320 cl 2b federal specification single treatment response threads

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc

Reference Number Differentiating Characteristics:

Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A003b0