

NSN 5305-01-103-1757 Socket Head Cap Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-103-1757 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.595 inches and 0.750 inches **Fastener Length:** Between 0.720 inches and 0.750 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.550 inches and 0.562 inches **Head Height:** Between 0.368 inches and 0.375 inches **Hole Diameter:** Between 0.061 inches and 0.067 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.375 inches Width Across Flats: 0.312 inches **Hole Quantity: Hole Type:** Drilled Thready Qty Per Inch (tpi): **Hole Configuration Style:** Round internal hexagon

Criticality Code Justification:

Zzzy

Material:

Stainless steel

Material Specification:

Aisi assn standard single material response

Surface Treatment:

Chromium threads

Special Test Features:

Special quality control testing

Surface Treatment Specification:

Qq-c-320 cl 2d federal specification single treatment response threads

NSN 5305-01-103-1757

Socket Head Cap Screw - Page 2 of 2



Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc

Reference Number Differentiating Characteristics:

Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications.

Shelf Life:

N/a

Unit Of Measure:

_

Demilitarization:

No

Fiig:

A003b0