NSN 5305-01-105-1135

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-105-1135 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.464 inches and 0.625 inches **Fastener Length:** Between 2.719 inches and 2.766 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.569 inches and 0.635 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.312 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 12000 pounds per square inch Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Screw Material:** Steel **Screw Material Specification:** Mil-s-6049 military specification single material response or mil-s-6050 military specification single material response **Screw Surface Treatment:** Cadmium **Screw Surface Treatment Specification:** Qq-p-416 ty ii cl 3 federal specification single treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

Fiig:

A500d0

NSN 5305-01-105-1135

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-s-6049 spec.